



SUTRAK A.Ş.

Coldline

www.sutrak.com.tr

Hakkımızda

Kurulduđu 1985 yılından bu yana Eberspacher-Sütrak ürünlerinin, Türkiye temsilciliđini yapmakta olan Sütrak Klima ve Sođutucu Cihazlar İmalat Sanayi ve Ticaret A.Ş.; 1993 yılından bu yana da kendi teknoloji, tasarım ve uygulamaları ile müşterilerine uygun, genel ve özel çözümler sunmaktadır.

İstanbul, Adapazarı ve Adana'daki üretim tesislerinde AR-GE bilinci almış, kaliteli üretim ilkesini benimsemiş personeli ile gerek Türk gerekse yabancı Otomotiv Ana Sanayi ve Savunma Sanayi kuruluşlarına hizmet vermektedir. Sütrak A.Ş. kendi alanında Türkiye'nin lider kuruluşlarından biri olarak, hem ticari araç hem de savunma sanayinde fikri mülkiyet hakları kendisine ait iklimlendirme sistemleri, araç konfor ürünleri (araç tuvaleti ve buzdolabı) geliştirmekte ve üretmektedir.

About us

Sütrak Klima A.Ş. was established as the exclusive distributor of Eberspacher-Sütrak products in Turkey in 1985. Since 1993, the company has also been designing and producing standardized and custom-made products through technologies developed in-house. Thanks to its highly qualified and experienced personnel, Sütrak Klima A.Ş. works as an innovation partner to major suppliers in automotive and defense industries. Cooperation and mutual trust with customers are at the core of the company's culture and Sütrak Klima A.Ş. is widely recognized for its ability to respond to customer needs on a timely basis irrespective of where they may be. The company currently has manufacturing sites in Istanbul, Adapazarı and Adana.

SÜTRAK A.Ş.

SÜTRAK A.Ş.



COLDLINE AC 353 P



SUTRAK A.Ş.
Coldline

SUTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğu Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

www.sutrak.com.tr / info@sutrak.com.tr

TECHNICAL DATA

COLDLINE AC 353 PARALLEL

MODEL: COLDLINE AC 353 PARALLEL

DESIGNED & PRODUCED BY SÜTRAK A.Ş.

COLDLINE AC 353 P

| | Version 1 | Version 2 | Version 3 | Version 4 |
|-------------------------------|------------------------|-------------------------|-------------------------|-------------------------|
| COOLING CAPACITY | 28 Kw | 32 Kw | 41 Kw | 48 Kw |
| HEATING CAPACITY | 32 Kw | 39 Kw | 39 Kw | 39 Kw |
| WIDTH | 2010 mm | 2010 mm | 2010 mm | 2010 mm |
| LENGTH | 2700 mm | 2700 mm | 2700 mm | 2700 mm |
| HEIGHT | 210 mm | 210 mm | 210 mm | 210 mm |
| EVAPORATOR AIR CAPACITY | 4400 m ³ /h | 6600 m ³ /h | 6600 m ³ /h | 8800 m ³ /h |
| CONDENSER AIR CAPACITY | 8100 m ³ /h | 10800 m ³ /h | 10800 m ³ /h | 12500 m ³ /h |
| WEIGHT | 152 kg | 160 kg | 160 kg | 188 kg |
| TOTAL CURRENT INPUT at 24 VDC | 72 A | 81 A | 92 A | 105 A |
| OPERATING VOLTAGE | 27 V DC | 27 V DC | 27 V DC | 27 V DC |
| REFRIGERANT | R 134 a | R 134 a | R 134 a | R 134 a |
| ROOF RADIUS* | 12 m | 12 m | 12 m | 12 m |
| COMPRESSOR VOLUME* | 470 cm ³ | 560 cm ³ | 655 cm ³ | 775 cm ³ |

* Other roof radii available on request

** Other Compressor types available on request

Options

Brushless Fans

Fresh Air Flaps

Tropical

Frontbox Out

LIGHTWEIGHT



LOW NOISE



EFFICIENT



Coldline

www.sutrak.com.tr

SÜTRAK A.Ş.



COLDLINE AC 343



SUTRAK A.Ş.
Coldline

SUTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğu Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

www.sutrak.com.tr / info@sutrak.com.tr

TECHNICAL DATA

COLDLINE AC 343

MODEL: COLDLINE AC 343

DESIGNED & PRODUCED BY SÜTRAK A.Ş.

COLDLINE AC 343

| | Version 1 | Version 2 | Version 3 |
|-------------------------------|------------------------|------------------------|-------------------------|
| COOLING CAPACITY | 18 Kw | 24 Kw | 32 Kw |
| HEATING CAPACITY | 32 Kw | 32 Kw | 32 Kw |
| WIDTH | 1850 mm | 1850 mm | 1850 mm |
| LENGTH | 3600 mm | 3600 mm | 3800 mm |
| HEIGHT | 215 mm | 215 mm | 215 mm |
| EVAPORATOR AIR CAPACITY | 4400 m ³ /h | 4400 m ³ /h | 4400 m ³ /h |
| CONDENSER AIR CAPACITY | 8100 m ³ /h | 8100 m ³ /h | 10800 m ³ /h |
| WEIGHT | 160 kg | 160 kg | 175 kg |
| TOTAL CURRENT INPUT at 24 VDC | 85 A | 85 A | 95 A |
| OPERATING VOLTAGE | 27 V DC | 27 V DC | 27 V DC |
| REFRIGERANT | R 134 a | R 134 a | R 134 a |
| ROOF RADIUS* | 12 m | 12 m | 12 m |
| COMPRESSOR VOLUME** | 310 cm ³ | 470 cm ³ | 560 cm ³ |

* Other roof radii available on request

** Other Compressor types available on request

Options

Brushless Fans

Fresh Air Flaps

Tropical

Frontbox Out

LIGHTWEIGHT



LOW NOISE



EFFICIENT



Coldline

www.sutrak.com.tr

SÜTRAK A.Ş.



COLDLINE AC 343 N



SUTRAK A.Ş.

Coldline

SUTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğu Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

www.sutrak.com.tr / info@sutrak.com.tr

TECHNICAL DATA COLDLINE AC 343 N

MODEL: COLDLINE AC 343 N

DESIGNED & PRODUCED BY SÜTRAK A.Ş.

COLDLINE AC 343 N

| | Version 1 | Version 2 |
|-------------------------------|-------------------------|-------------------------|
| COOLING CAPACITY | 32 Kw | 48 Kw |
| HEATING CAPACITY | 32 Kw | 32 Kw |
| WIDTH | 1850 mm | 1850 mm |
| LENGTH | 3420 mm | 3420 mm |
| HEIGHT | 240 mm | 240 mm |
| EVAPORATOR AIR CAPACITY | 6600 m ³ /h | 8800 m ³ /h |
| CONDENSER AIR CAPACITY | 10800 m ³ /h | 16200 m ³ /h |
| WEIGHT | 175 kg | 195 kg |
| TOTAL CURRENT INPUT at 24 VDC | 95 A | 125 A |
| OPERATING VOLTAGE | 27 V DC | 27 V DC |
| REFRIGERANT | R 134 a | R 134 a |
| ROOF RADIUS* | 12 m | 12 m |
| COMPRESSOR VOLUME** | 470-650 cm ³ | 650-775 cm ³ |

* Other roof radii available on request

** Other Compressor types available on request

Options

Brushless Fans

Fresh Air Flaps

Tropical

Frontbox Out

LIGHTWEIGHT



LOW NOISE



EFFICIENT



Coldline

www.sutrak.com.tr

SÜTRAK A.Ş.



COLDLINE AC 111 & AC 111 L



AC 111



AC 111 L

SUTRAK A.Ş.
Coldline

SUTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğu Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

www.sutrak.com.tr / info@sutrak.com.tr

TECHNICAL DATA

COLDLINE AC 111 & AC 111 L

MODEL: COLDLINE AC 111 & AC 111 L PARALLEL

DESIGNED & PRODUCED BY SÜTRAK A.Ş.

| | COLDLINE AC 111 | | COLDLINE AC 111 L | |
|-------------------------------|------------------------|------------------------|------------------------|------------------------|
| | Version 1 | Version 2 | Version 1 | Version 2 |
| COOLING CAPACITY | 11 Kw | 14 Kw | 18 Kw | 22 Kw |
| HEATING CAPACITY | -- | -- | -- | -- |
| WIDTH | 1390 mm | 1390 mm | 1720 mm | 1720 mm |
| LENGTH | 2345 mm | 2345 mm | 2390 mm | 2390 mm |
| HEIGHT | 200 mm | 200 mm | 240 mm | 240 mm |
| EVAPORATOR AIR CAPACITY | 4400 m ³ /h | 4400 m ³ /h | 4400 m ³ /h | 4400 m ³ /h |
| CONDENSER AIR CAPACITY | 7500 m ³ /h | 7500 m ³ /h | 8100 m ³ /h | 8100 m ³ /h |
| WEIGHT | 96 kg | 96 kg | 130 kg | 130 kg |
| TOTAL CURRENT INPUT at 24 VDC | 77 A | 77 A | 77 A | 77 A |
| OPERATING VOLTAGE | 27 V DC | 27 V DC | 27 V DC | 27 V DC |
| REFRIGERANT | R 134 a | R 134 a | R 134 a | R 134 a |
| ROOF RADIUS* | 12 m | 12 m | 12 m | 12 m |
| COMPRESSOR VOLUME** | 155 cm ³ | 210 cm ³ | 310 cm ³ | 430 cm ³ |

* Other roof radii available on request

** Other Compressor types available on request

Options

Brushless Fans

Fresh Air Flaps

Tropical

Digital Control

Frontbox Out

LIGHTWEIGHT



LOW NOISE



EFFICIENT



Coldline

www.sutrak.com.tr

SÜTRAK A.Ş.



COLDLINE AC 34 E



SUTRAK A.Ş.
Coldline

SUTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğu Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

www.sutrak.com.tr / info@sutrak.com.tr

TECHNICAL DATA

COLDLINE AC 34 ELECTRICAL

MODEL: COLDLINE AC 34 ELECTRICAL

DESIGNED & PRODUCED BY SÜTRAK A.Ş.

COLDLINE AC 34 E

| | Version 1 |
|-------------------------------|------------------------|
| COOLING CAPACITY | 3,5 Kw |
| HEATING CAPACITY | -- |
| WIDTH | 750 mm |
| LENGTH | 1100 mm |
| HEIGHT | 230 mm |
| EVAPORATOR AIR CAPACITY | -- |
| CONDENSER AIR CAPACITY | 2500 m ³ /h |
| WEIGHT | 35 kg |
| TOTAL CURRENT INPUT at 24 VDC | 65 A |
| OPERATING VOLTAGE | 27 V DC |
| REFRIGERANT | R 134 a |
| ROOF RADIUS* | 12 m |
| COMPRESSOR VOLUME** | 140 cm ³ |

* Other roof radii available on request

** Other Compressor types available on request

Options

Brushless Fans

Fresh Air Flaps

Tropical

Digital Control

Frontbox Out

LIGHTWEIGHT



LOW NOISE




EFFICIENT



Coldline

www.sutrak.com.tr

SÜTRAK A.Ş.





HEATING
AND
COOLING

SÜTRAK A.Ş.
Coldline

SÜTRAK Klima ve Soğutucu Cihazlar İmalat San. ve Tic. A.Ş.

Doğru Sanayi Sitesi 2.Blok No:4 34197 Yenibosna / İSTANBUL/TURKIYE - Phone : +90 212 503 90 57 / 58 - Fax : +90 212 503 89 81

info@sutrak.com.tr

www.sutrak.com.tr